

ZINO 2.0

THE RESEARCH NETWORK STATE MONITOR

Morten Brekkevold



20th SIG-NOC, Helsinki 2024-05-08

WHAT IS ZINO?

WHAT IS ZINO?

- Zino Is Not Openview

WHAT IS ZINO?

- Zino Is Not Openview
 - HP OpenView is/was a behemoth. Zino is not.

WHAT IS ZINO?


- Zino Is Not Openview
 - HP OpenView is/was a behemoth. Zino is not.
 - (Recursive acronyms are fun!)

WHAT IS ZINO?

- Zino Is Not Openview
 - HP OpenView is/was a behemoth. Zino is not.
 - (Recursive acronyms are fun!)
- A toolset that has monitored Nordic research networks for **nearly 30 years**





ZINO SUITE COMPONENTS

ndn-sunet8 samples traffic in bit/s 2022-05



OpState	AdmState	Age	Router	Port	Description
port up	closed	0d 0:26:31.00	kristiansund-gw1	ge-0/1/0	(Management for HiMolde kjernevitsj)
port up	closed	0d 0:26:28.00	kristiansund-gw1	ge-0/1/0.0	(Management for HiMolde kjernevitsj)-13
port up	open	0d 0:00:45.00	kristiansund-gw1	ge-0/1/0	(Management for HiMolde kjernevitsj)-13
port up	open	0d 0:00:45.00	kristiansund-gw1	ge-0/1/0	(Management for HiMolde kjernevitsj)-13
port up	waiting	0d 1:27:38.00	oslo-gw1	xe-11/2/0	
port up	waiting	0d 1:27:38.00	kristiansand-gw3	xe-0/1/2.0	
port up	waiting	0d 1:27:32.00	kristiansand-gw3	xe-0/1/2.0	
port up	waiting	0d 1:27:31.00	oslo-gw1	xe-11/2/0.0	
port up	closed	0d 4:02:37.00	uninett-gsw2	ae0	
hgp established	closed	0d 0:57:01.00	as-gw2	AS 63012 130.37.1	
hgp established	closed	0d 1:00:13.00	if12-gw	AS 2119 2001:7000	
hgp established	closed	0d 1:00:15.00	if12-gw	AS 2119 138.39.65	
port up	closed	0d 1:05:06.00	if12-gw	TenGigE0/1/0/5	
port up	closed	0d 1:45:53.00	uninett-tor-sw3	ge-0/0/1	
port up	closed	0d 1:45:53.00	uninett-tor-sw3	ge-1/0/1	
port up	closed	0d 1:50:53.00	teknobyen-sw1	ge-0/0/6	
port up	open	0d 16:40:36.00	stavanger-gw4	ge-1/1/2.0	
port up	open	0d 16:50:38.00	stavanger-gw4	ge-1/1/2	
port up	open	0d 16:50:38.00	as-gw1	ge-1/0/2.0	
port down	waiting	0d 10:19:57.00	teknobyen-sw1	ge-1/0/6	
port up	open	0d 14:48:07.00	porsgrunn-gw2	ge-1/1/0	
port up	open	0d 14:48:07.00	stavanger-gw4	ge-1/0/6.0	
port up	ignored	16d 20:10:55.00	uninett-tor-sw2	ge-1/0/4	
port up	ignored	16d 20:10:55.00	uninett-tor-sw2	ge-0/0/4	
port up	open	0d 18:03:43.00	uninett-tor-sw1	ge-2/0/24	
port up	open	0d 18:03:42.00	uninett-tor-sw1	ge-3/0/24	
port up	ignored	16d 22:18:19.00	uninett-tor-sw2	ge-0/0/2	
port up	ignored	16d 22:18:19.00	uninett-tor-sw2	ge-1/0/2	
port up	ignored	16d 20:10:55.00	uninett-tor-sw2	ae10	

NORDUnet traffic with Customers




The above image "clickable" for zooming etc. A brief explanation is available.

You may further inspect for this period/port

- output discards / input ignores
- ethernet errors
- input errors
- percent of IPv6 packets (I3)
- multicast packets per second
- packets per second
- interface resets
- traffic in percent of capacity
- traffic in bit/s
- unicast packets per second

ndn-pionier-phy2
ndn-pionier-agg

Consult error report on we
Tabular reports are availa
<http://stats.nordu.net/t>
[End of message]



Daily error summary 2022-05-18

Sorted by Error hours, All interface types

Previous

Interface	inerr hrs >%					----- in % -----					-- out ----		
	1.0	0.1	.01	1e-3	1e-4	1e-5	Errs	CRC	Frm	Abtrt	Ign	Reset	Disc%
ndn-pionier-phy2	0	0	0	0	0	22	0.0000368	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000
ndn-pionier-agg	0	0	0	0	0	17	0.0000186	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000
ndn-rix	0	0	0	0	0	0	0.0000002	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000
ndn-telia-phy1	0	0	0	0	0	0	0.0000001	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000
ndn-runnet3	0	0	0	0	0	0	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000
ndn-kiae.ru-lhcone	0	0	0	0	0	0	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000
ndn-ficix2-l3	0	0	0	0	0	0	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000
ndn-funet-l3	0	0	0	0	0	0	0.0000000	0.0000000	0.0000000	0.0000000	0.0000000	0	0.000

BACK-END COMPONENTS (SNMP)

- Zino state monitor
 - With accessible API to inspect and modify events
- Traffic poller (tpoll)
- Shared Tcl libraries in original implementation

THE STATE MONITOR

Trap-directed SNMP polling:

THE STATE MONITOR

Trap-directed SNMP polling:

- Router reachability

THE STATE MONITOR

Trap-directed SNMP polling:

- Router reachability
- Interface link state

THE STATE MONITOR

Trap-directed SNMP polling:

- Router reachability
- Interface link state
- BGP peering state

THE STATE MONITOR

Trap-directed SNMP polling:

- Router reachability
- Interface link state
- BGP peering state
- BFD session state

THE STATE MONITOR

Trap-directed SNMP polling:

- Router reachability
- Interface link state
- BGP peering state
- BFD session state
- Juniper chassis alarms

THE STATE MONITOR API

- Text-based, stateful API (similar to SMTP)
- Provides:

THE STATE MONITOR API

- Text-based, stateful API (similar to SMTP)
- Provides:
 - Insight into ongoing network events

THE STATE MONITOR API

- Text-based, stateful API (similar to SMTP)
- Provides:
 - Insight into ongoing network events
 - Administrative management of events

THE STATE MONITOR API

- Text-based, stateful API (similar to SMTP)
- Provides:
 - Insight into ongoing network events
 - Administrative management of events
 - Realtime notifications of event changes

TRAFFIC STATS

- Also part of legacy Zino suite:
 - Traffic stats
 - Error reports from stats data

TRAFFIC STATS

- Also part of legacy Zino suite:
 - Traffic stats
 - Error reports from stats data
- But we dont have time to delve into that here....

STATE MONITOR CLIENTS

- ritz (*Tcl/Tk*)
- curitz (*Python*)
- emt (*Tcl*)

RITZ

File Edit View Help

OpState	AdmState	Age		Router	Port	Description
port up	closed	0d	0:26:31.00	kristiansund-gw1	ge-0/1/0	(Management for HiMolde kjernesvitsj)
port up	closed	0d	0:26:28.00	kristiansund-gw1	ge-0/1/0.0	(Management for HiMolde kjernesvitsj-l3)
port up	open	0d	0:00:45.00	kristiansund-gw1	ge-0/1/0.0	(Management for HiMolde kiernesvitsi-l3)
port up	open	0d	0:00:45.00	kristiansund-gw1	ge-0/1/0	
port up	waiting	0d	1:27:38.00	oslo-gw1	xe-11/2/0	
port up	waiting	0d	1:27:38.00	kristiansand-gw3	xe-0/1/2	
port up	waiting	0d	1:27:32.00	kristiansand-gw3	xe-0/1/2.0	
port up	waiting	0d	1:27:31.00	oslo-gw1	xe-11/2/0.0	
port up	closed	0d	4:02:37.00	uninett-gsw2	ae0	
bgp established	closed	0d	0:57:01.00	as-gw2	AS 65012 158.37.1	
bgp established	closed	0d	1:00:13.00	ifi2-gw	AS 2119 2001:700:4	
bgp established	closed	0d	1:00:15.00	ifi2-gw	AS 2119 128.39.65	
port up	closed	0d	1:05:06.00	ifi2-gw	TenGigE0/1/0/5	
port up	closed	0d	1:45:53.00	uninett-tor-sw3	ge-0/0/1	
port up	closed	0d	1:45:53.00	uninett-tor-sw3	ge-1/0/1	
port up	closed	0d	1:50:53.00	teknobyen-sw1	ge-0/0/6	
port up	open	0d	16:40:36.00	stavanger-gw4	ge-1/1/2.0	
port up	open	0d	16:50:38.00	stavanger-gw4	ge-1/1/2	
port up	open	0d	16:50:38.00	as-gw1	ge-1/0/2.0	
port down	waiting	0d	10:19:57.00	teknobyen-sw1	ge-1/0/6	
port up	open	0d	14:48:07.00	porsgrunn-gw2	ge-1/1/0	
port up	open	0d	14:48:07.00	stavanger-gw4	ge-1/0/6.0	
port up	ignored	161d	20:10:55.00	uninett-tor-sw2	ge-1/0/4	
port up	ignored	161d	20:10:55.00	uninett-tor-sw2	ge-0/0/4	
port up	open	0d	18:03:43.00	uninett-tor-sw1	ge-2/0/24	
port up	open	0d	18:03:42.00	uninett-tor-sw1	ge-3/0/24	
port up	ignored	161d	22:18:19.00	uninett-tor-sw2	ge-0/0/2	
port up	ignored	161d	22:18:19.00	uninett-tor-sw2	ge-1/0/2	
port up	ignored	161d	20:10:55.00	uninett-tor-sw2	ae10	(lokalt lacp, trd-lgw1.uninett.no)

Case 115470

File Manage

descr: local lacp link, trd-col.cert.uninett.no-phy2

flaps: 2

id: 115470

ifindex: 510

lasttrans: Fri May 20 02:33:32 CEST 2022

opened: Fri May 20 02:33:32 CEST 2022

polladdr: 158.38.0.170

port: ge-1/0/6

portstate: down

priority: 100

router: teknobyen-sw1

state: waiting

type: portstate

updated: Fri May 20 02:33:32 CEST 2022

CURITZ

cuRitz version 0.9.17.dev3+g5b7bdb3 - zino.uninett.no

S	OpState	AdmState	Age	Dt	Router	Port	Description
	PORT up	open	0d 01:40	0s	kristiansund-gw1	ge-0/1/0	Management for HiHolde kjernesvitsj
	PORT up	waiting	0d 05:27	0s	oslo-gw1	xe-11/2/0.0	UN000136 GC11520020, oslo-kristiansand-13, kristiansand-g
	PORT up	waiting	0d 05:27	0s	kristiansand-gw3	xe-0/1/2.0	UN000136 GC11520020, kristiansand-oslo-13
	PORT up	waiting	0d 05:27	6s	kristiansand-gw3	xe-0/1/2	UN000136 GC11520020, kristiansand-oslo
	PORT up	waiting	0d 05:27	4m	oslo-gw1	xe-11/2/0	UN000136 GC11520020, oslo-kristiansand, kristiansand-gw1
	PORT down	waiting	0d 14:19	14h	teknobyen-sw1	ge-1/0/6	local lACP link, trd-col.cert.uninett.no-phy2
	PORT up	open	0d 18:48	6m	stavanger-gw4	ge-1/0/6.0	UPW000127, uis-svg-porsgrunn-l2vpn
	PORT up	open	0d 18:48	6m	porsgrunn-gw2	ge-1/1/0	UN001054, uis-porsgrunn-stavanger, L2vpn AC
	PORT up	open	0d 22:03	4s	uninett-tor-sw1	ge-3/0/24	LACP-link, trd-agw1_ny.uninett.no-phy2
	PORT up	open	0d 22:03	6s	uninett-tor-sw1	ge-2/0/24	LACP-link, trd-agw1_ny.uninett.no-phy1
	PORT up	open	0d 22:03	4m	uninett-tor-sw1	ae21	LACP-link, trd-agw1_ny.uninett.no
	BGP down	waiting	2d 08:51		tullin-gw1	AS29695	2001:7f8:12:2::2:9695 peer is down
	BGP down	waiting	2d 08:51		tullin-gw1	AS29695	185.1.65.16 peer is down
	BGP down	waiting	7d 19:02		tullin-gw1	AS64625	riksantikvaren-gw2.ra.no, peer is down
	BGP down	waiting	7d 19:02		ifi2-gw	AS64625	riksantikvaren-gw1.ra.no, peer is down
	PORT down	working	14d 02:25	14d	ma2-gw	xe-2/1/0	UN001325, ma2-mettromso
	BGP down	waiting	15d 02:52		tromso-fw-gw	AS64526	mettromso-fw.met.no, peer is admin turned off
	PORT down	working	23d 05:56	23d	narvik-gw2	gr-11/0/10.0	lokal tunnel, narvik-janitor.cert, janitor.cert
	PORT down	waiting	23d 07:49	23d	uninett-tor-sw1	ae11	LACP-link, pltrd037,moosefs.fs.uninett.no
	BGP down	waiting	25d 05:19		stavanger-gw2	AS64535	uis-d202-gsw03.uis.no, peer is admin turned off
	BGP down	waiting	25d 05:19		stavanger-gw2	AS64535	uis-d202-gsw03.uis.no, peer is admin turned off
	BGP down	waiting	25d 05:44		stavanger-gw2	AS64535	uis-kkh-gsw01.uis.no, peer is admin turned off
	BGP down	waiting	25d 05:44		stavanger-gw2	AS64535	uis-kkh-gsw01.uis.no, peer is admin turned off
	PORT down	working	25d 05:59	25d	tullin-gw1	xe-100/0/4.20	UN000777 GC10306676, tullin-udir-13
	PORT lower	waiting	28d 05:17	0s	stavanger-gw3	xe-0/1/5.0	UN000528 -- stavanger-uis -- uis-kkh-gsw01.uis.no-13
	BGP down	waiting	28d 05:18		stavanger-gw3	AS64535	uis-kkh-gsw01.uis.no, peer is admin turned off
	BGP down	waiting	28d 05:18		stavanger-gw3	AS64535	uis-kkh-gsw01.uis.no, peer is admin turned off
	PORT lower	waiting	28d 19:45	0s	hamar-gw5	xe-0/1/4.0	UN001347, hamar-udir-13
	BGP down	waiting	28d 19:45		hamar-gw5	AS64668	2001:700:0:800a::1 peer is admin turned off
	BGP down	waiting	28d 19:45		hamar-gw5	AS64668	udir-hmr-fw1-0.c.uninett.no, peer is admin turned off
	BGP down	working	39d 05:08		bergen-gw3	AS64640	bergen-fw1.met.no, peer is down
	BGP down	working	39d 05:08		bergen-gw3	AS64532	2001:700:0:4303::2 peer is down

<=>=Display attributes m=Clear Flapping i=Show/Hide ID X=Restore last selection
s=Set State u=Update History U=Update History and Set State f=Filter y=Remove Closed
KENTER>=Show history <UP/DOWN>=Navigate q=Quit l=Show Logs x=(de)select c=Clear selection

EMT

- Sends email alarms
- Sends SMS alarms (via external mail-to-SMS gateway)
- Implements failover mechanism

BACK TO THE 90S

The Zino suite has been continuously developed, deployed and maintained since the mid-90s

DEPLOYMENT

- Zino is mainly developed by Sikt
- Deployed at Sikt (Uninett), NORDUnet and Sunet

THE GOOD

- Separation of concerns
- Very stable
- Few dependencies
- Battle-proven (for more than 25 years)

THE NOT SO GOOD

- Good luck finding Tcl programmers in 2023
- Project "bus factor" is approaching zero...

```
proc pollSingleIf { sh ix } {
    set bpl [basePollList $sh]
    foreach v [split $bpl] {
        lappend pl [format "%s.%d" $v [expr $ix - 1]]
        lappend sl [mib oid $v]
    }
    if [catch {set res [$sh getnext $pl]} msg] {
        log [format "%s: error polling single intf %s: %s" \
            [name $sh] $ix $msg]
        return
    }
    set fres [filterLowestMatching $sl $ix $res]
    if { "$fres" == "" } {
        log [format "%s: error polling single intf %s: no match" \
            [name $sh] $ix]
```

FAST FORWARD TO 2023

NORDUnet is sponsoring a reimplementations of Zino in
two separate work packages

NORDUnet
Nordic Gateway for Research & Education

WP1: STATE MONITOR RE-IMPLEMENTATION

- State monitoring is the most crucial component for NOCs
- The Zino designs are already robust
- Decision: Port codebase to *Python*, using a team of developers



WP1: STATE MONITOR RE- IMPLEMENTATION

- Also: Build a web-based client for the Zino API

WP2: TRAFFIC STATS COLLECTION AND WEATHERMAP

(As presented by Jonas Hagström just a few minutes ago...)

- NORDUnet members already collect traffic stats in different ways
 - SNMP, Telemetry, multiple toolsets
- Concentrate on aggregation of existing data from members into a shared network map.

THE GOAL

- All 5 NORDUnet members are using Zino in their NOCs

THE GOAL

- All 5 NORDUnet members are using Zino in their NOCs
- ... and maybe even more?

2024 STATUS

- Rewritten state monitor nearly complete
- Howitz is a new web-based client to the Zino API

Dashboard

#	OP-STATE	ADM-STATE	AGE	DOWNTIME	ROUTER	PORT	DESCRIPTION
174979	PORT down	waiting	9 days, 20:20	9 days, 20:14	uninett-tor-sw3	ae4	local lacp, virt2.cert.uninett.no
174989	BGP down	waiting	9 days, 20:16		uninett-gsw2	AS64669	158.38.61.135, peer is down
174986	BGP down	waiting	9 days, 20:16		uninett-gsw1	AS64669	158.38.61.135, peer is down
174978	PORT down	waiting	9 days, 20:21	9 days, 20:21	uninett-tor-sw3	ae3	local lacp, virt1.cert.uninett.no
173776	BGP down	waiting	20 days, 15:38		teknobyen-gw4	AS64672	2001:700:0:80fe::1, peer is down
174723	BGP down	waiting	14 days, 17:41		oslo-gw2	AS21357	195.245.126.35, peer is down
173046	PORT down	working	24 days, 2:00	17 days, 14:17	oslo-gw5	ae2.0	UN001277, oslo-utdanningsetaten2-l3
169446	BGP down	waiting	62 days, 9:51		npolar-gw2	AS64645	158.36.5.13, peer is down
173767	PORT down	working	20 days, 20:05	20 days, 20:05	uninett-gsw2	irb.1050	Lokal vlan, unitttrd-servernett-2
173766	PORT down	working	20 days, 20:06	20 days, 20:06	uninett-gsw1	irb.1050	Lokal vlan, unitttrd-servernett-1
173260	PORT down	working	22 days, 21:36	22 days, 21:36	uninett-gsw1	irb.1060	Lokal vlan, unitttrd-videokonf-1
173047	BGP down	working	24 days, 1:45		oslo-gw5	AS64534	193.156.92.70, peer is admin turned off
173043	PORT down	working	24 days, 2:01	24 days, 2:01	oslo-gw5	ae2	UN001277, oslo-utdanningsetaten2
173044	PORT down	working	24 days, 2:01	24 days, 2:01	oslo-gw5	xe-100/0/26	UN001277, oslo-utdanningsetaten2-phy1
173045	PORT down	working	24 days, 2:01	24 days, 2:01	oslo-gw5	xe-100/0/28	UN001277, oslo-utdanningsetaten2-phy2
172298	PORT down	waiting	29 days, 15:11	29 days, 15:11	ifi2-sw	TenGigabitEthernet0/2	local link, ifi2-sw.ifi2-gw2-phy1
172250	BGP down	waiting	29 days, 16:24		ifi2-gw	AS64532	158.36.8.11, peer is down
172246	PORT down	waiting	29 days, 16:30	29 days, 16:35	ifi2-sw2	Port-channel2	lacp-link, ifi2-sw2.ifi2-gw

2024 STATUS

- "Bus factor" is now closer to 5!
- Zino is in active alpha release
- Fully open source and available on GitHub and PyPI

WHAT'S NEXT?

What comes after Zino 2.0 is complete?

WHAT'S NEXT?

- API modernization (REST + TLS encryption)?

WHAT'S NEXT?

- API modernization (REST + TLS encryption)?
- Optical state monitoring?

WHAT'S NEXT?


- API modernization (REST + TLS encryption)?
- Optical state monitoring?
- Argus integration!?




ARGUS

- Alarm Aggregation and correlation tool
- Manages your incidents across all your monitoring tools
- A GÉANT production service

ARGUS



ARGUS

INCIDENTS TIMESLOTS PROFILES N NOC

Open State: **OPEN** CLOSED BOTH

Acked: ACKED UNACKED **BOTH**

Sources: Press enter to add new source

Tags: Press enter to add new tag

Max level: 5 - Information

Filter: Select from your filters

Timestamp	Status	Severity level	Source	Description	Actions
<input type="checkbox"/> 2022-04-28 09:56	Open Non-acked	3 - Moderate	nav.customer1.example.org	box down example-sw.customer1 192.168.42.42	<input type="checkbox"/>
<input type="checkbox"/> 2022-04-27 11:42	Open Non-acked	4 - Low	mobility-master.example.org	AP down: AP1553 at somecollege	<input type="checkbox"/>
<input type="checkbox"/> 2022-04-02 13:12	Open Acked	1 - Critical	nav.customer1.example.org	box down main-gsw.customer1 192.168.0.1	<input type="checkbox"/>
<input type="checkbox"/> 2022-04-02 09:32	Open Acked	3 - Moderate	nav.someschool.example.org	nav.devices.holophonor-sw1_someschool.sensors.xe-1_2_2_jnxDomCurrentRxLaserPower exceeded at -37.32 <-14	<input type="checkbox"/>
<input type="checkbox"/> 2022-04-02 08:32	Open Acked	2 - High	zabbix.example.org	slurm.example.org: Software RAID: Device md0 is active,degraded	<input type="checkbox"/>

Rows per page: 25 1-5 of 5

Last refreshed 2022-05-03 15:35:50 updating every 30
Backend v.1.5.1.dev1+g18faa05, API v1(stable), frontend v.1.5.4

REFERENCES

- New state monitor back-end:
<https://github.com/Uninett/zino>
- Howitz interface to Zino:
<https://github.com/Uninett/howitz>
- cuRitz interface to Zino:
<https://github.com/Uninett/curitz>
- Argus: <https://network.geant.org/argus/>
- #zino2 channel on nordunet.slack.com

